



改定2024.11

排水金具・マンホール他

【新定価 2024年11月～】

D-K 目皿 (非防水層用) ※製造中止 販売終了予定	32	5,200	JCW204	
	40	5,600	標準図符号	
	50	6,200	D	
	65	8,300	内ねじ	
	80	10,200	ロック式ストレーナー	
	100	11,400		
	125	21,400		
150	31,700			

CK-SUS	40	13,900	JCW-204	
	50	19,300	内ネジ	
	65	28,900	ステンレス製	
	80	41,600	ロック式ストレーナー	
100	62,000			

DK-SUS	32	5,400	JCW-204	
	40	5,900	標準図符号D	
	50	6,700	内ネジ	
	65	8,900	ステンレス製	
	80	10,700	ロック式ストレーナー	
	100	11,700		
	125	22,300		
150	33,200			
200	60,700			

DV-SUS	40	5,300	VP・VU兼用	
	50	6,100	ステンレス製	
	65	8,100		
	80	9,700		
	100	12,100		
	125	25,500		
150	39,700			

WPJ-W	65	35,300	公団型	
	80	39,700	J-501	
	100	47,500		
	125	71,800		
	150	93,700		

WPJ-W-BC	65	46,300	公団型	
	80	52,700	J-501	
	100	64,700	バンドキャップ付	
	125	111,100		
	150	139,700		

WPJ-W-BCA	65	53,200	公団型	
	80	60,900	J-501	
	100	78,700	アルミバンド	
	125	132,100	キャップ付	
	150	160,600		

WPJ-WL	65	49,200	積雪地用	
	80	58,400		
	100	71,000		
	125	102,400		

WPJ-WL-BC	65	60,200	積雪地用	
	80	71,400	バンドキャップ付	
	100	88,200		
	125	141,700		

WPJ-WL-BCA	65	67,100	積雪地用	
	80	79,600	アルミバンド	
	100	102,200	キャップ付	
	125	162,700		

WPJ-W用 アンカー皿ビス		2,300	M10	

T3A-K(SU) (非防水層用)	40	21,600	JISA4002	
	50	31,400		
	65	46,800		
	80	63,600		
	★100	98,100		

T3B-K(SU) (防水層用)	40	29,800	JISA4002	
	50	41,100		
	65	58,900		
	80	77,700		
★100	115,100			

T5AF (非防水層用)	40	19,300	調節管ビス式	
	50	23,700		
	65	42,600		
	80	52,900		
100	87,900			

T5BF (防水層用)	40	23,700	調節管ビス式	
	50	28,100		
	65	47,500		
	80	58,500		
100	95,800			

T5AF-EW (非防水層用)	50	26,200	調節管ビス式	
--------------------	----	--------	--------	---

T5BF-EW (防水層用)	50	27,800	調節管ビス式	
-------------------	----	--------	--------	---

T7A-EW (非防水層用)	50	42,600	横型	
-------------------	----	--------	----	---

T7B-EW (防水層用)	50	46,500	横型	
------------------	----	--------	----	--

JT-2E-3 防水パン用	50	37,300	公団型 D-107-O	
------------------	----	--------	----------------	---

JT-4 防水パン用	50	44,900	公団型 D-104	
---------------	----	--------	--------------	---

JT-3 防水パン用	50	36,700	公団型 呼び50 D-103	
---------------	----	--------	----------------------	---

T14AA-K(SU) 目皿付 金属製流し用	40	25,300	JCW-202	
	50	36,700	T14AA	

T14AB-K(SU) 共栓付 金属製流し用	★40	29,100	JCW-202	
	★50	39,600	T14AB	

T14BA-K(SU) 目皿付 コンクリート製流し用	★40	32,300	JCW-202	
	★50	44,600	T14BA	

T14BB-K(SU) 共栓付 コンクリート製流し用	★40	34,000	JCW-202	
	★50	50,500	T14BB	

T14AV 目皿付 JIS金属流し用	40	16,900	公団型 耐熱樹脂製	
--------------------------	----	--------	--------------	---

★印は受注生産品を示します。

SNA - K 非防水層用	40	16,200	JCW - 204 標準図符号 SNA ・印 W 共栓 内ねじ	
	50	22,000		
	65	36,100		
	80	47,800		
	100	65,400		
SNAR 非防水層用	40	14,000	ゴム共栓付 ・印 W 共栓	
	50	19,100		
	65	29,100		
	80	38,800		
	100	54,300		

CODD 非防水層用 排水金具	50	27,600	
	65	29,900	
	80	30,900	
	100	32,500	
	★125	70,300	
CODD - C 非防水層用 排水金具	★40	39,400	
	50	60,600	
	★65	74,400	
	★80	85,800	
	★100	151,000	

COA - K (非防水層用) 床上掃除口	40	7,400	JCW - 203 標準図符号 COA	
	50	7,600		
	65	9,500		
	80	11,200		
	100	14,400		
	★125	28,500		
	★150	35,800		
COA - F (非防水層用) 床上掃除口	★40	9,900	SGP 差し込用 パッキン入	
	50	11,200		
	65	15,000		
	80	18,300		
	100	27,600		
COV - F (非防水層用) 床上掃除口	40	9,900	VP 差し込用 パッキン入	
	50	11,200		
	65	15,000		
	80	18,300		
	100	27,600		
COA - F - 2 (非防水層用) 床上掃除口	40	11,300	SGP 差し込用 化粧型 パッキン入	
	50	11,700		
	65	16,600		
	80	20,200		
	100	30,500		
	100	30,500		
COV - F - 2 (非防水層用) 床上掃除口	40	11,300	VP 差し込用 化粧型 パッキン入	
	50	11,700		
	65	16,600		
	80	20,200		
	100	30,500		
	100	30,500		
COB - K (防水層用) 床上掃除口	40	16,200	JCW - 203 標準図符号 COB	
	50	18,000		
	65	22,500		
	80	26,300		
	100	32,800		
	★125	54,700		
	★150	68,600		

BP	15	2,500	
	20	3,000	
	25	3,200	
	32	3,200	
BP - H HASS 規格	40	3,500	
	50	4,500	
	65	6,100	
	80	8,300	
	100	12,200	
	★125	21,900	
	★150	42,600	

BB - A 埋設型	40	8,100	耐触アルミ製 AC7A	
	50	9,900		
	65	14,600		
	80	17,300		
	100	23,200		
	125	43,700		
	★150	49,600		
BC 露出型	40	3,800	鋳鉄製 亜鉛メッキ	
	50	4,900		
	65	6,200		
	80	7,700		
	100	10,000		
	125	30,200		
BC - A 露出型	40	7,800	耐触アルミ製 AC7A	
	50	10,500		
	65	13,100		
	80	15,900		
	100	24,000		
	125	51,200		
	150	54,900		

IDNV - SUS	★40	33,500	VP 用 ステンレス製	
	★50	41,700		
	★65	50,900		
	★80	60,500		
	★100	81,300		
	★150	151,000		
IDN - HS	★40	15,500	半球型 外ねじ	
	★50	16,600		
	★65	25,800		
	★80	29,300		
	★100	36,100		
IDNV - HS	★40	15,500	半球型 VP 用	
	★50	16,600		
	★65	25,800		
	★80	29,300		
	★100	36,100		
	★150	151,000		

IDN	32	4,900	内ねじ 網-ステンレス	
	40	4,900		
	50	6,000		
	65	7,700		
	80	9,500		
	100	12,400		
IDN - V	30	4,400	VP 用 網-ステンレス	
	40	4,400		
	50	6,300		
	65	7,700		
	80	9,500		
	100	11,400		
	★125	21,200		
	★150	39,400		
	★200	90,700		

★印は受注生産品を示します。

建設
鉄器
材用

・格子ふた

品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	33,300	31,700	SHASE-S-209
	350	43,200	41,600	
	400	53,600	52,000	
	450	62,700	61,100	
	★500	87,000	85,200	
	600	108,300	106,500	
CA-H 中耐型	300	27,200	25,600	SHASE-S-209
	350	32,300	30,700	
	400	42,000	40,400	
	450	50,000	48,400	
	★500	64,700	62,900	
	600	93,100	91,300	
CB-H 軽耐型	300	23,300	21,700	SHASE-S-209
	350	28,600	27,000	
	400	35,800	34,200	
	450	41,500	39,900	
	★500	48,500	46,700	
	600	67,400	65,600	


・鋳鉄製ボックス

品番	呼び	定価	備考
B1 止水弁 ガス弁	150	9,700	JCW-103 標準図符号 B1
B1-R 止水弁	150	8,300	塩ビ管接続用
B2-A-P	300	34,500	JCW-103
B2-B-P	450	61,500	標準図符号 MHA-P
★B6-1A		77,400	JCW-104
★B6-1B		60,600	標準図符号
★B6-2A		81,100	B6
★B6-2B		67,300	
MB-1	435 × 315	38,000	JCW-105 標準図符号 MB-1 H=55
MB-2	715 × 515	155,000	JCW-105
MB-3	1105 × 715	341,400	標準図符号 MB-2 MB-3 H=75

★印は受注生産品を示します。

・散水栓ボックス

品番	呼び	定価	備考
B3	13A 金具付	20,100	鋳鉄製 土間埋設用
	20A 金具付	22,700	
	固定金具無	18,900	
B3A-HN 文字入り	20	79,800	ステンレス製 ヘアライン仕上 土間埋設用
	25	88,400	
	30	105,500	
B3A-HNK 文字入り	20	86,300	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	94,800	
	30	111,900	
B3W-HN 文字入り	20	94,800	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	103,400	
	30	111,900	
B3W-HNK 文字入り	20	101,200	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	109,900	
	30	118,600	



CD-H



B1



B1-R

・インターロッキングブロック用
床化粧マンホールふた


品番	呼び	定価	備考
OMIS-D 重耐型	300	84,000	スライド式 蓋ダクタイル製 鑄鉄目地
	350	88,300	
	450	112,600	
	★500	140,300	
	600	165,600	
	750		
	900		
OMIS-DS 重耐型	300	162,000	スライド式 蓋ダクタイル製 ステンレス目地
	350	194,000	
	450	213,200	
	★500	245,000	
OMIS-1 中耐型	300	80,700	スライド式 鑄鉄目地
	350	86,100	
	450	103,700	
	★500	124,900	
	600	148,000	
OMIS-1S 中耐型	300	155,700	スライド式 ステンレス目地
	350	172,600	
	450	194,000	
	★500	224,700	
	600	255,600	
OMIS-2 軽耐型	300	68,700	スライド式 鑄鉄目地
	350	73,000	
	450	92,800	
	★500	117,200	
OMIS-2S 軽耐型	300	153,600	スライド式 ステンレス目地
	350	166,300	
	450	191,500	
	★500	213,200	
	600	224,000	
OMIR-D 重耐型	★450	102,100	鑄鉄目地 丸型
	★600	138,500	
OMIS-DH (80mmブロック用)重耐型	450	151,600	スライド式 蓋ダクタイル製鑄鉄目地
	600	207,000	



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

品番	呼び	定価	備考
OF-SP-DS 重耐型	300	101,700	蓋ダクタイル製 ステンレス目地
	350	128,900	
	450	168,600	
	600	226,800	
OF-SP-1S 中耐型	300	96,100	ステンレス目地
	350	112,500	
	450	148,800	
	600	190,600	
OF-SP-2S 軽耐型	300	90,700	ステンレス目地
	350	103,400	
	450	132,500	
	600	174,200	
OF-SP-1M 中耐型	300	142,800	密閉型 インサート取手付式 ステンレス目地
	350	161,700	
	450	212,500	
	600	263,800	
OF-SP-1H 中耐型	300	94,900	インサート取手式 ステンレス目地
	350	108,100	
	450	153,800	
	600	206,500	

・防臭式マンホールふた


品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	33,300	31,700	HASS 標準図符号 MHD 枠FC
	350	43,200	41,600	
	400	56,600	55,000	
	450	57,700	56,100	
	500	75,100	73,300	
	600	92,700	90,900	
	750	318,000	313,700	
	900	421,200	416,900	
OMH-1 文字入り 文字なし 中耐型	300	28,100	26,500	HASS 標準図符号 MHA
	350	36,300	34,700	
	400	45,500	43,900	
	450	49,400	47,800	
	500	64,000	62,200	
	600	77,600	75,800	
	750	271,400	267,100	
OMH-2 文字入り 文字なし 軽耐型	300	21,500	19,900	HASS 標準図符号 MHB
	350	26,800	25,200	
	400	35,200	33,600	
	450	35,800	34,200	
	500	49,500	47,700	
	600	57,300	55,500	
OMH-S-2 CD樹用 軽耐型	350	—	31,700	
	450	—	42,700	
	600	—	68,900	

★印は受注生産品を示します。

建設
用
鉄
器
材

コンパクト型

鋳鉄製 角型ルーフトレン 〈外廊下排水用〉



●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	80	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	13,070	14,680	15,900	17,900
			屋上、庇、バルコニー	平型	ROC-BK	12,550	14,220	15,440	17,810
			廊下、踊場	水平型	ROC-CK	12,550	14,220	15,440	17,810
			バルコニー	中継	ROC-NK	13,070	14,680	15,900	18,520
			屋上(貯水槽張り代50mm)	ドーム型	RWC-EK	13,970	15,530	18,420	23,050
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	10,960	12,300	13,520	15,300
			屋上、庇、バルコニー	平型	ROV-BK	10,440	11,840	13,060	15,210
			廊下、踊場	水平型	ROV-CK	10,440	11,840	13,060	15,210
			バルコニー	中継	ROV-NK	10,960	12,300	13,520	15,920
			モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	9,000
屋上、庇、バルコニー	平型	RMC-BK				8,480	9,610	10,560	12,440
廊下、踊場	水平型	RMC-CK				8,480	9,610	10,560	12,440
バルコニー	中継	RMC-NK				9,000	10,070	11,020	13,150
差し込み式 (VP、VU)	屋上	ドーム型			RMV-AK	7,440	8,450	9,370	11,360
	屋上、庇、バルコニー	平型			RMV-BK	6,920	7,990	8,910	11,270
	廊下、踊場	水平型			RMV-CK	6,920	7,990	8,910	11,270
	バルコニー	中継			RMV-NK	7,440	8,450	9,370	11,980

●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	75	100
シート防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	19,990	22,030	24,760	28,160
				L型	ROH-LK	19,990	22,030	24,760	28,160
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	17,840	19,900	22,000	24,840
				L型	RMH-LK	17,840	19,900	22,000	24,840

●角型ルーフトレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ	
						50	75
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	バルコニー	台形	RMSC-DK	8,680	12,420
				水平型	RMSC-RK	8,680	12,420
		差し込み式 (VP、VU)	バルコニー	台形	RMSV-DK	8,050	11,210
				水平型	RMSV-RK	8,050	11,210