

H. 建設用鑄鉄器材

排水金具・マンホール他

232 ダイドレ株式会社

排水金具・マンホール他

237 伊藤鉄工株式会社

D-K 目皿 (非防水層用) ※製造中止 販売終了予定	32	5,200	JCW204 標準図符号 D 内ねじ ロック式ストレーナ	
	40	5,600		
	50	6,200		
	65	8,300		
	80	10,200		
	100	11,400		
	125	21,400		
150	31,700			

CK-SUS	40	13,900	JCW-204 内ネジ ステンレス製 ロック式ストレーナ	
	50	19,300		
	65	28,900		
	80	41,600		
100	62,000			

DK-SUS	32	5,400	JCW-204 標準図符号D 内ネジ ステンレス製 ロック式ストレーナ	
	40	5,900		
	50	6,700		
	65	8,900		
	80	10,700		
	100	11,700		
	125	22,300		
150	33,200			
200	60,700			

DV-SUS	40	5,300	VP・VU兼用 ステンレス製	
	50	6,100		
	65	8,100		
	80	9,700		
	100	12,100		
	125	25,500		
150	39,700			

WPJ-W	65	35,300	公団型 J-501	
	80	39,700		
	100	47,500		
	125	71,800		
	150	93,700		

WPJ-W-BC	65	46,300	公団型 J-501 バンドキャップ付	
	80	52,700		
	100	64,700		
	125	111,100		
	150	139,700		

WPJ-W-BCA	65	53,200	公団型 J-501 アルミバンド キャップ付	
	80	60,900		
	100	78,700		
	125	132,100		
	150	160,600		

WPJ-WL	65	49,200	積雪地用	
	80	58,400		
	100	71,000		
	125	102,400		

WPJ-WL-BC	65	60,200	積雪地用 バンドキャップ付	
	80	71,400		
	100	88,200		
	125	141,700		

WPJ-WL-BCA	65	67,100	積雪地用 アルミバンド キャップ付	
	80	79,600		
	100	102,200		
	125	162,700		

WPJ-W用 アンカー皿ビス		2,300	M10	

T3A-K (SU) (非防水層用)	40	21,600	JISA4002	
	50	31,400		
	65	46,800		
	80	63,600		
	★100	98,100		

T3B-K (SU) (防水層用)	40	29,800	JISA4002	
	50	41,100		
	65	58,900		
	80	77,700		
★100	115,100			

T5AF (非防水層用)	40	19,300	調節管ビス式	
	50	23,700		
	65	42,600		
	80	52,900		
100	87,900			

T5BF (防水層用)	40	23,700	調節管ビス式	
	50	28,100		
	65	47,500		
	80	58,500		
100	95,800			

T5AF-EW (非防水層用)	50	26,200	調節管ビス式	

T5BF-EW (防水層用)	50	27,800	調節管ビス式	

T7A-EW (非防水層用)	50	42,600	横型	

T7B-EW (防水層用)	50	46,500	横型	

JT-2E-3 防水パン用	50	37,300	公団型 D-107-O	

JT-4 防水パン用	50	44,900	公団型 D-104	

JT-3 防水パン用	50	36,700	公団型 呼び50 D-103	

T14AA-K (SU) 目皿付 金属製流し用	40	25,300	JCW-202 T14AA	
	50	36,700		

T14AB-K (SU) 共栓付 金属製流し用	★40	29,100	JCW-202 T14AB	
	★50	39,600		

T14BA-K (SU) 目皿付 コンクリート製流し用	★40	32,300	JCW-202 T14BA	
	★50	44,600		

T14BB-K (SU) 共栓付 コンクリート製流し用	★40	34,000	JCW-202 T14BB	
	★50	50,500		

T14AV 目皿付 JIS金属流し用	40	16,900	公団型 耐熱樹脂製	

★印は受注生産品を示します。


SNA - K 非防水層用	40	16,200	JCW - 204 標準図符号 SNA ・印 W 共栓 内ねじ	
	50	22,000		
	65	36,100		
	80	47,800		
	100	65,400		
SNAR 非防水層用	40	14,000	ゴム共栓付 ・印 W 共栓	
	50	19,100		
	65	29,100		
	80	38,800		
	100	54,300		

CODD 非防水層用 排水金具	50	27,600	
	65	29,900	
	80	30,900	
	100	32,500	
	★125	70,300	
CODD - C 非防水層用 排水金具	★40	39,400	
	50	60,600	
	★65	74,400	
	★80	85,800	
	★100	151,000	

COA - K (非防水層用) 床上掃除口	40	7,400	JCW - 203 標準図符号 COA	
	50	7,600		
	65	9,500		
	80	11,200		
	100	14,400		
	★125	28,500		
	★150	35,800		
COA - F (非防水層用) 床上掃除口	★40	9,900	SGP 差し込用 パッキン入	
	50	11,200		
	65	15,000		
	80	18,300		
	100	27,600		
COV - F (非防水層用) 床上掃除口	40	9,900	VP 差し込用 パッキン入	
	50	11,200		
	65	15,000		
	80	18,300		
	100	27,600		
COA - F - 2 (非防水層用) 床上掃除口	40	11,300	SGP 差し込用 化粧型 パッキン入	
	50	11,700		
	65	16,600		
	80	20,200		
	100	30,500		
	★125	54,700		
COV - F - 2 (非防水層用) 床上掃除口	40	11,300	VP 差し込用 化粧型 パッキン入	
	50	11,700		
	65	16,600		
	80	20,200		
	100	30,500		
	★125	54,700		
COB - K (防水層用) 床上掃除口	40	16,200	JCW - 203 標準図符号 COB	
	50	18,000		
	65	22,500		
	80	26,300		
	100	32,800		
	★125	54,700		
	★150	68,600		

BP	15	2,500	
	20	3,000	
	25	3,200	
	32	3,200	
BP - H HASS 規格	40	3,500	
	50	4,500	
	65	6,100	
	80	8,300	
	100	12,200	
	★125	21,900	
	★150	42,600	

BB - A 埋設型	40	8,100	耐触アルミ製 AC7A	
	50	9,900		
	65	14,600		
	80	17,300		
	100	23,200		
	125	43,700		
	★150	49,600		
BC 露出型	40	3,800	鋳鉄製 亜鉛メッキ	
	50	4,900		
	65	6,200		
	80	7,700		
	100	10,000		
	125	30,200		
BC - A 露出型	40	7,800	耐触アルミ製 AC7A	
	50	10,500		
	65	13,100		
	80	15,900		
	100	24,000		
	125	51,200		
	150	54,900		

IDNV - SUS	★40	33,500	VP 用 ステンレス製	
	★50	41,700		
	★65	50,900		
	★80	60,500		
	★100	81,300		
IDN - HS	★40	15,500	半球型 外ねじ	
	★50	16,600		
	★65	25,800		
	★80	29,300		
	★100	36,100		
IDNV - HS	★40	15,500	半球型 VP 用	
	★50	16,600		
	★65	25,800		
	★80	29,300		
	★100	36,100		

IDN	32	4,900	内ねじ 網-ステンレス	
	40	4,900		
	50	6,000		
	65	7,700		
	80	9,500		
	100	12,400		
IDN - V	30	4,400	VP 用 網-ステンレス	
	40	4,400		
	50	6,300		
	65	7,700		
	80	9,500		
	100	11,400		
	★125	21,200		
	★150	39,400		
	★200	90,700		

★印は受注生産品を示します。

建設
鉄器
材用

・格子ふた

品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	33,300	31,700	SHASE-S-209
	350	43,200	41,600	
	400	53,600	52,000	
	450	62,700	61,100	
	★500	87,000	85,200	
	600	108,300	106,500	
CA-H 中耐型	300	27,200	25,600	SHASE-S-209
	350	32,300	30,700	
	400	42,000	40,400	
	450	50,000	48,400	
	★500	64,700	62,900	
	600	93,100	91,300	
CB-H 軽耐型	300	23,300	21,700	SHASE-S-209
	350	28,600	27,000	
	400	35,800	34,200	
	450	41,500	39,900	
	★500	48,500	46,700	
	600	67,400	65,600	


・鋳鉄製ボックス

品番	呼び	定価	備考
B1 止水弁 ガス弁	150	9,700	JCW-103 標準図符号
			B1
B1-R 止水弁	150	8,300	塩ビ管接続用
B2-A-P	300	34,500	JCW-103
B2-B-P	450	61,500	標準図符号 MHA-P
★B6-1A		77,400	JCW-104
★B6-1B		60,600	標準図符号
★B6-2A		81,100	B6
★B6-2B		67,300	
MB-1	435 × 315	38,000	JCW-105
			標準図符号 MB-1 H=55
MB-2	715 × 515	155,000	JCW-105
MB-3	1105 × 715	341,400	標準図符号 MB-2 MB-3 H=75

★印は受注生産品を示します。

・散水栓ボックス

品番	呼び	定価	備考
B3	13A 金具付	20,100	鋳鉄製 土間埋設用
	20A 金具付	22,700	
	固定金具無	18,900	
B3A-HN 文字入り	20	79,800	ステンレス製 ヘアライン仕上 土間埋設用
	25	88,400	
	30	105,500	
B3A-HNK 文字入り	20	86,300	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	94,800	
	30	111,900	
B3W-HN 文字入り	20	94,800	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	103,400	
	30	111,900	
B3W-HNK 文字入り	20	101,200	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	109,900	
	30	118,600	



CD-H



B1



B1-R

・インターロッキングブロック用
床化粧マンホールふた


品番	呼び	定価	備考
OMIS-D 重耐型	300	84,000	スライド式 蓋ダクタイル製 鑄鉄目地
	350	88,300	
	450	112,600	
	★500	140,300	
	600	165,600	
	750		
	900		
OMIS-DS 重耐型	300	162,000	スライド式 蓋ダクタイル製 ステンレス目地
	350	194,000	
	450	213,200	
	★500	245,000	
OMIS-1 中耐型	300	80,700	スライド式 鑄鉄目地
	350	86,100	
	450	103,700	
	★500	124,900	
	600	148,000	
OMIS-1S 中耐型	300	155,700	スライド式 ステンレス目地
	350	172,600	
	450	194,000	
	★500	224,700	
	600	255,600	
OMIS-2 軽耐型	300	68,700	スライド式 鑄鉄目地
	350	73,000	
	450	92,800	
	★500	117,200	
OMIS-2S 軽耐型	300	153,600	スライド式 ステンレス目地
	350	166,300	
	450	191,500	
	★500	213,200	
	600	224,000	
OMIR-D 重耐型	★450	102,100	鑄鉄目地 丸型
	★600	138,500	
OMIS-DH (80mmブロック用)重耐型	450	151,600	スライド式 蓋ダクタイル製鑄鉄目地
	600	207,000	



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

品番	呼び	定価	備考
OF-SP-DS 重耐型	300	101,700	蓋ダクタイル製 ステンレス目地
	350	128,900	
	450	168,600	
	600	226,800	
OF-SP-1S 中耐型	300	96,100	ステンレス目地
	350	112,500	
	450	148,800	
	600	190,600	
OF-SP-2S 軽耐型	300	90,700	ステンレス目地
	350	103,400	
	450	132,500	
	600	174,200	
OF-SP-1M 中耐型	300	142,800	密閉型 インサート取手付式 ステンレス目地
	350	161,700	
	450	212,500	
	600	263,800	
OF-SP-1H 中耐型	300	94,900	インサート取手式 ステンレス目地
	350	108,100	
	450	153,800	
	600	206,500	

・防臭式マンホールふた


品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	33,300	31,700	HASS 標準図符号 MHD 枠FC
	350	43,200	41,600	
	400	56,600	55,000	
	450	57,700	56,100	
	500	75,100	73,300	
	600	92,700	90,900	
	750	318,000	313,700	
	900	421,200	416,900	
OMH-1 文字入り 文字なし 中耐型	300	28,100	26,500	HASS 標準図符号 MHA
	350	36,300	34,700	
	400	45,500	43,900	
	450	49,400	47,800	
	500	64,000	62,200	
	600	77,600	75,800	
	750	271,400	267,100	
OMH-2 文字入り 文字なし 軽耐型	300	21,500	19,900	HASS 標準図符号 MHB
	350	26,800	25,200	
	400	35,200	33,600	
	450	35,800	34,200	
	500	49,500	47,700	
	600	57,300	55,500	
OMH-S-2 CD樹用 軽耐型	350	—	31,700	
	450	—	42,700	
	600	—	68,900	

★印は受注生産品を示します。

建設
用
鉄
器
材

コンパクト型

鋳鉄製 角型ルーフトレン 〈外廊下排水用〉



●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	80	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	13,070	14,680	15,900	17,900
			屋上、庇、バルコニー	平型	ROC-BK	12,550	14,220	15,440	17,810
			廊下、踊場	水平型	ROC-CK	12,550	14,220	15,440	17,810
			バルコニー	中継	ROC-NK	13,070	14,680	15,900	18,520
			屋上(貯水槽張り代50mm)	ドーム型	RWC-EK	13,970	15,530	18,420	23,050
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	10,960	12,300	13,520	15,300
			屋上、庇、バルコニー	平型	ROV-BK	10,440	11,840	13,060	15,210
			廊下、踊場	水平型	ROV-CK	10,440	11,840	13,060	15,210
			バルコニー	中継	ROV-NK	10,960	12,300	13,520	15,920
			モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	9,000
屋上、庇、バルコニー	平型	RMC-BK				8,480	9,610	10,560	12,440
廊下、踊場	水平型	RMC-CK				8,480	9,610	10,560	12,440
バルコニー	中継	RMC-NK				9,000	10,070	11,020	13,150
差し込み式 (VP、VU)	屋上	ドーム型			RMV-AK	7,440	8,450	9,370	11,360
	屋上、庇、バルコニー	平型			RMV-BK	6,920	7,990	8,910	11,270
	廊下、踊場	水平型			RMV-CK	6,920	7,990	8,910	11,270
	バルコニー	中継			RMV-NK	7,440	8,450	9,370	11,980

●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	75	100
シート防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	19,990	22,030	24,760	28,160
				L型	ROH-LK	19,990	22,030	24,760	28,160
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	17,840	19,900	22,000	24,840
				L型	RMH-LK	17,840	19,900	22,000	24,840

●角型ルーフトレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ	
						50	75
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	バルコニー	台形	RMSC-DK	8,680	12,420
				水平型	RMSC-RK	8,680	12,420
		差し込み式 (VP、VU)	バルコニー	台形	RMSV-DK	8,050	11,210
				水平型	RMSV-RK	8,050	11,210

小口径柵用、防護ハット、鑄鉄蓋

	仕様	製品名	サイズ	定価
	鑄鉄製防護ハット T8	BHH-8	150	26,000
			200	34,900
			300	56,800
	鑄鉄製防護ハット T14, T25	BHH-14・25	150	26,000
			200	44,200
			300	66,300
			350	80,000
	鑄鉄製防護ハット T8 (敷地用)	BHTN-8	150	18,300
			200	22,300
			300	47,200
	鑄鉄製防護ハット T20 (浅型)	BHLZ-20	150	22,500
			200	28,900
			300	48,600
	開閉キー 1組	ELK		7,200
	小口径柵用 鑄鉄蓋	MFSD	75	4,400
			100	4,700
			150	7,300
			200	10,200
			300	28,600

	仕様	製品名	サイズ	定価
	小口径柵用 化粧ハッチ T6 台座付 ※画像の充填材は含みません。	EMSDZ	200	69,600
	小口径柵用 化粧ハッチ 歩行用	EMSB	150	57,800
			200	58,200
			300	69,600
	インターロッキング用化粧蓋 ステンレス目地 (軽荷重) 台座付 新発売	EMBH7S	300	172,700
			350	185,200
	インターロッキング用化粧蓋 ステンレス目地 (中耐) 台座付 新発売	EMAH7S	300	179,800
			350	190,900
	インターロッキング用化粧蓋 ステンレス目地 (重耐) 台座付 新発売	EMDH7S	300	185,600
			350	196,600

床化粧マンホール

	仕様	製品名	サイズ	定価
	化粧マンホール 簡易密閉型 (パッキン付) T2 鑄物目地	EMBH4 (開閉キーなし)	300	43,600
			350	50,000
			450	63,000
			600	86,200
	化粧マンホール 簡易密閉型 (パッキン付) T2 ステンレス目地	EMBH4S (開閉キーなし)	300	74,500
			350	82,400
			450	109,700
			600	139,400
	化粧マンホール 密閉型 (ボルト固定パッキン付) T2 鑄物目地"	EMBP4 (開閉キーなし) 受注生産	300	66,200
			350	68,800
			450	88,200
			600	111,700
	化粧マンホール 密閉型 (ボルト固定パッキン付) T2 ステンレス目地	EMBP4S (開閉キーなし) 受注生産	300	118,700
			350	153,100
			450	182,200
			600	224,900
	化粧マンホール 簡易密閉型 (パッキン付) T6 鑄物目地	EMAH4 (開閉キーなし)	300	58,100
			350	68,800
			450	71,300
			600	98,900

	仕様	製品名	サイズ	定価
	化粧マンホール 簡易密閉型 (パッキン付) T6 ステンレス目地	EMAH4S (開閉キーなし)	300	93,000
			350	108,000
			450	115,500
			600	159,900
	化粧マンホール 密閉型 (ボルト固定パッキン付) T6 鑄物目地	EMAP4 (開閉キーなし) 受注生産	300	81,400
			350	88,900
			450	99,200
			600	126,000
	化粧マンホール 密閉型 (ボルト固定パッキン付) T6 ステンレス目地	EMAP4S (開閉キーなし) 受注生産	300	154,000
			350	174,400
			450	188,500
			600	233,200
	化粧マンホール 簡易密閉型 (パッキン付) T20 鑄物目地	EMDH4 (開閉キーなし)	300	66,300
			350	75,500
			450	78,600
	化粧マンホール 簡易密閉型 (パッキン付) T20 ステンレス目地	EMDH4S (開閉キーなし)	300	112,500
			350	133,400
			450	137,900
			600	173,500

マンホール蓋

仕様	製品名	サイズ	定価	仕様	製品名	サイズ	定価	仕様	製品名	サイズ	定価
防臭マンホール蓋 軽荷重 (国土交通省 MH-B)	MCBH (鎖付き)	300	21,500	防臭マンホール蓋 中耐 (国土交通省 MH-A)	MCAH (鎖付き)	300	26,800	防臭マンホール蓋 重耐 (国土交通省 MH-D)	MCDH (鎖付き)	300	31,500
		350	25,400			350	34,600			350	40,500
		400	30,400			400	39,900			400	48,600
		450	33,400			450	45,400			450	53,500
		500	42,800			500	56,100			500	64,100
		600	53,200			600	73,200			600	85,800

建設
鉄器材用

床化粧マンホール

仕様	製品名	サイズ	定 価
 化粧マンホール 密閉型(ボルト固定パッキン付) T20 鋳物目地	EMDP4 (開閉キー なし) 受注生産	300	91,900
		350	101,000
		450	129,800
		600	158,200
 化粧マンホール 密閉型(ボルト固定パッキン付) T20 ステンレス目地	EMDP4S (開閉キー なし) 受注生産	300	178,500
		350	196,100
		450	209,000
		600	260,300
 開閉キー組	EANK		13,400
 化粧マンホール インターロッキング用 軽荷重 鋳物目地	EMBH7 (開閉キー なし)	300	59,800
		350	68,800
		450	75,500
		500	102,300
 化粧マンホール インターロッキング用 軽荷重 ステンレス目地	EMBH7S (開閉キー なし)	300	156,700
		350	168,100
		450	179,600
		500	213,000
 化粧マンホール インターロッキング用 中荷重 鋳物目地	EMAH7 (開閉キー なし)	300	64,100
		350	70,000
		450	84,900
		500	111,700
 化粧マンホール インターロッキング用 中荷重 ステンレス目地	EMAH7S (開閉キー なし)	600	119,800
		300	163,800
		350	173,800
		450	191,100
 化粧マンホール インターロッキング用 重耐 鋳物目地	EMDH7 (開閉キー なし)	500	229,400
		600	233,600
		250	62,300
		300	75,000
		350	79,400
		450	95,200
		500	125,200
		600	131,200

ベンチレーター、防水継手

仕様	製品名	サイズ	定 価
 露出掃兼型ベントキャップ 防鳥用	VCO	65	37,300
		80	41,100
		100	45,300
		125	63,500
		150	85,400
 露出掃兼型ベントキャップ 防虫用	VCOM	65	58,500
		80	65,600
		100	70,800
		125	92,900
		150	115,800
 排水通気用防水継手 差込タイプ	WSC2 アンカーなし	65	50,900
		80	55,500
		100	67,600
		125	118,900
 排水通気用防水継手 差込タイプ	WSB2 アンカーなし	65	57,800
		80	64,800
		100	79,300
		125	133,900
		150	166,700
 排水通気用防水継手 差込タイプ	WSK2 アンカーなし	80	74,300
		100	87,800
		125	149,600
 排水通気用防水継手 差込タイプ ロングタイプ	WSL2 アンカーなし	80	75,300
		100	90,900
		125	150,000

仕様	製品名	サイズ	定 価
 化粧マンホール インターロッキング用 重耐 ステンレス目地	EMDH7S (開閉キー なし)	300	169,600
		350	179,500
		450	205,900
		500	241,500
 化粧マンホール インターロッキング用丸枠 軽荷重 鋳物目地	EMBR7 (開閉キー なし)	450	66,000
		600	96,400
 化粧マンホール インターロッキング用丸枠 重耐 鋳物目地	EMDR7 (開閉キー なし)	450	70,700
		600	103,400
 開閉キー 1組 (化粧インターロッキング用)	EHFK		11,000
 開閉キー 1組 (EMBR7, EMDR7用)	MCK		3,000
 落葉ダストキャッチャー (エコノミータイプ) 高耐久溶融メッキ鋼板製 新発売	GHOP	300	18,300
		350	18,500
		450	25,800
		500	33,300
		600	36,700
 化粧マンホール用台座 ※E353-3Sは適用不可	ZSD7	300	16,000
		350	17,100

ベンチレーター、防水継手

仕様	製品名	サイズ	定 価
 排水通気用防水継手 差込 気密タイプ 専用グリップアンカー付	WSBN2	80	70,800
		100	86,100
 排水通気用防水継手 打込型 メカニカル接合 ショートタイプ	WSMS2	65	68,400
		80	75,100
		100	87,600
 排水通気用防水継手 打込型 メカニカル接合	WSM2	65	71,900
		80	79,000
		100	93,400
		125	150,300
		150	205,900
 排水通気用防水継手 打込型 差込用	WSV2	80	81,200
		100	96,300
 排水通気用防水継手 打込型 ねじ込用	WSG2	100	117,200
 グリップアンカー、皿ビス		3本1組	2,000

落葉キャッチャー、鑄鉄製格子網

仕様	製品名	サイズ	定 価
 落葉ダストキャッチャー 鑄鉄製格子網用	GHO	300	69,900
		350	74,300
		400	86,000
		450	88,900
		500	106,600
		600	109,300
 落葉ダストキャッチャー 浅型 鑄鉄製格子網用	GHO-RC	300	26,000
		350	29,000
		400	31,800
		450	34,900
		500	42,100
		600	45,700
 落葉ダストキャッチャー 浅型(丸型) 鑄鉄製格子網用	GRO-RC	300	40,400
		350	42,300
		400	45,100
		450	53,500
		500	58,000
		600	63,800
 格子網 軽荷重	GBH	300	19,500
		350	25,000
		400	31,500
		450	36,800
		500	45,800
		600	67,600
 格子網 中耐	GAH	300	23,900
		350	29,900
		400	39,000
		450	44,900
		500	59,800
		600	87,600
 格子網 重耐	GDH	300	29,900
		350	39,600
		400	49,100
		450	57,600
		500	76,700
		600	99,900
 開閉キー 2本1組 (格子網用)	GBK		6,000
 格子網細目 軽荷重	GBHS	300	28,300
		350	32,200
		450	49,400
		500	56,500
		600	75,500
 格子網細目 重耐	GDHS	300	33,300
		350	44,700
		450	63,300
		500	79,100
		600	113,800

仕様	製品名	サイズ	定 価
 格子網細目 ボルト固定 軽荷重	GBHSL	300	46,600
		350	53,000
		450	64,100
		600	89,800
 格子網細目 ボルト固定 重耐	GDHSL	300	54,700
		350	59,700
		450	77,800
		600	128,200
 CD樹縁塊用 細目格子網T2	GBCDC	300	15,900
		360	21,900
		450	29,900
		500	35,800
		600	50,000
 CD樹縁塊用 細目格子網 T20	GDCDC	300	19,300
		360	26,900
		450	35,000
		500	42,000
		600	58,300
 鎖	MC50		1,800
 開閉キー 2本1組 (細目格子網用)	HSK		7,200
 丸型格子網 軽荷重	GBR	300	20,000
		350	25,200
		400	29,900
		450	35,800
		500	42,000
		600	56,300
 丸型格子網 重耐	GDR	300	25,200
		350	35,000
		400	43,300
		450	51,200
		500	63,800
		600	83,500
 開閉キー 2本1組 (丸型格子網用)	GBK		6,000

排水金具、トラップ類

仕様	製品名	サイズ	定 価
 目皿 ロック式	SDK	40	6,600
		50	6,800
		65	8,600
		80	10,100
		100	12,400
		125	22,600
		150	33,600
		200	59,000
 目皿 ロック式 VP、VU差込	SDV	40	5,200
		50	6,000
		65	8,000
		75	9,600
		100	11,900
		125	25,500
		150	39,900

**建設
鉄器
材用**

ひとつの金具がすべてを変える

らく吊[®] X

「抜群の施工性」

ナットを外さずに施工ができます。
配管吊り込み時にパイプの
調整が楽にできます。

「向上した安全性」

3つ（脱落防止・外れ防止・目視確認）
の新機構で実現した、
これまでに無い安全性



「施工のスピードが速く、かつ、安全と安心を実現」

日栄インテック株式会社

【管材事業部 東京第一営業所】

〒123-0864 東京都足立区鹿浜 4-24-16

TEL 03-5838-1777 FAX 03-5838-1763